

Avery Weigh-Tronix

ZQ375 Checkweigher Features:

- Certified by NSF to NSF/ANSI Standard 3-A
- IP69K fully wash-down stainless steel enclosures
- 5000d NTEP (3000d OIML) approved
- Rounded corner design minimizes trapped food particles
- Rugged bases with up to 500% overload protection
- Base capacities from 5lb to 500lb (3kg to 200kg)
- Highly visible IBN display with color-coded under / target / over bar graph
- Multi-connectivity; Ethernet, USB, Wireless
- AC or battery powered
- Several applications pre-installed
- 500 PLU storage
- ID user control



C3255 Checkweigher Features

Full Function NTEP approved Bench Scale

Stainless Steel Construction - Wipe-down environment friendly

LCD Display - Bright, large and visible

Power Options - Battery and AC power

Preset Targets -Includes 10 preset targets

<u>Model</u>	<u>Capacity (lb)</u>	<u>Capacity(kg)</u>
C3255-30	30 x 0.01 lb	15 x 0.005kg
C3255-60	60 x 0.02 lb	30 x 0.01 kg
C3255-150	150 x 0.05 lb	60 x 0.02 kg
C3255-300	300 x 0.05 lb	150 x 0.02 kg





FS-i Series

Product Features

- Large Bright Comparator Lights
- Three Resolution Levels
- Easy to Read LCD Display with Backlight
- 3 - Function Analog Sweep Display
- 100 Item Data Memory
- NTEP models available; please inquire



HV-G Scale Series

Product Features

- Comparator for setting high and low weight targets
- Optional comparator buzzer for selected settings
- Setpoint control for simple batching
- Tilting meter head for best viewing angle





SS6200 Series SS Bench Scales

Large, 12 x 14" Stainless Steel platform has 2" lip at rear - includes indicator of your choice

- Environmentally sealed load cell for wet areas
- Package includes choice of 7500 or 7600 indicator and SS column
- Suitable for weighing foods or ingredients in 90% of all sanitary situations
- High value - low package price
- Sanitary platform has no cracks or holes for food processing environments
- Unique features include Parts Counting, Setpoint Relays, Over/Under/Accept displays, programmable data interfaces, and more (depending on indicator model selected)
- Two Year Limited Warranty

